


| | | | |
|---|---|---|---|
| **EAN:** | 4013288202659 | **Size:** | 100x60x10 mm |
| **Part number:** | 05073063001 | **Weight:** | 15 g |
| **Article number:** | 867/1 Z TORX® BO SB | **Country of origin:** | CZ |
| | | **Customs tariff number:** | 82079030 |

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)


Premium bits for TORX® socket screws. The hole in the bit and the pin in the TORX® BO screw prevent unauthorized loosening. Safety connection. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-D 6.3.

**Web link**




Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

## TORX® with borehole (BO)



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® BO tools allowing safety screws to be unfastened.

## Tough-absorbing bits




Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Web link



Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

867/1 Z TORX® BO bits with bore hole, TX 15 x 25 mm

| | | | |
|---|---|---|---|
| | 05066505001 | 2x | TX 15 x 25 mm |




Web link

Wera - 867/1 Z TORX® BO SB
05073063001 - 4013288202659

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de